



# Safety Data Sheet

according to Regulation (EU) No. 1907/2006

## DPF Super Clean

Print date: 16.11.2010

Product code: 895

Page 1 of 5

### 1. Identification of the substance/preparation and of the company/undertaking

#### Identification of the substance or preparation

DPF Super Clean

#### Use of the substance/preparation

cleaning solvent for diesel particulate filter

#### Company/undertaking identification

Company name: CTP-GmbH  
Street: Saalfelder Straße 35  
Place: D-07338 Leutenberg  
Telephone: +4936734/230-0  
e-mail: hotline@ctp-gmbh.de  
Contact person: Jens Moeller, Dipl.-Chem.  
Internet: www.ctp-gmbh.de  
Telefax: +4936734/230-22  
Telephone: +4936734/230-19

#### Further Information

Article Number: 6171

### 2. Hazards identification

#### Classification

Indications of danger : Harmful  
R-phrases:  
Harmful: may cause lung damage if swallowed.  
Repeated exposure may cause skin dryness or cracking.

### 3. Composition/information on ingredients

#### Chemical characterization ( Mixture )

#### Hazardous components

EC-No.	CAS-No.	Chemical name	Quantity	Classification
265-185-4	64742-82-1	Low boiling point hydrogen treated naphtha, Naphtha (petroleum), hydrodesulfurized heavy	95 - 100 %	Xn R65-66
292-460-6	90622-58-5	alkanes, c11-15-iso-	1 - 5 %	Xn R65-66
265-198-5	64742-94-5	solvent naphtha	< 1 %	Xn, N R65-66-67-51-53

Full text of each relevant R phrase can be found in heading 16.

### 4. First aid measures

#### General information

Move victim to fresh air. Put victim at rest and keep warm.

#### After inhalation

Move victim to fresh air. Put victim at rest and keep warm.  
In case of difficulties of breathing consult physician.  
If victim is at risk of losing consciousness, position and transport on their side.

#### After contact with skin

Take off immediately all contaminated clothing, including underwear and shoes .  
After contact with skin, wash immediately with plenty of Water and soap.  
Rub in high-fat content cream.



# Safety Data Sheet

according to Regulation (EU) No. 1907/2006

## DPF Super Clean

Print date: 16.11.2010

Product code: 895

Page 2 of 5

### After contact with eyes

Immediately flush eyes with plenty of flowing water for 10 to 15 minutes holding eyelids apart.  
Consult physician.

### After ingestion

Let water be swallowed in little sips (dilution effect). Consult physician.

### Advice to doctor

Warning about danger of aspiration.

## 5. Fire-fighting measures

### Suitable extinguishing media

Extinguishing powder.  
Sand.  
alcohol resistant foam.  
Carbon dioxide (CO<sub>2</sub>).

### Extinguishing media which must not be used for safety reasons

High power water jet.

### Special exposure hazards arising from substance or preparation itself, combustion products, resulting gases

Formation of decomposition products possible.  
In case of fire and/or explosion do not breathe fumes.

### Special protective equipment for fire-fighters

In case of fire: Wear self-contained breathing apparatus.

### Additional information

Cool endangered container in case of fire.  
Contaminated fire-fighting water must be collected separately.

## 6. Accidental release measures

### Personal precautions

In case of fire: Wear self-contained breathing apparatus.  
Keep away from sources of ignition. No smoking.

### Environmental precautions

Beat down gas/vapours/mist with water spray.  
Do not empty into drains or the aquatic environment.  
In case of gas being released or leakage into waters, ground or the drainage system, the appropriate authorities must be informed.

### Methods for cleaning up/taking up

Prevent spreading of spillages (e.g. by oil barrier).  
Wipe up with absorbent material (eg. cloth, fleece).

## 7. Handling and storage

### Handling

#### Advice on safe handling

Closed devices. Vapours / aerosols must be extracted by suction immediately at point of origin.  
Avoid contact with skin and eyes.

#### Advice on protection against fire and explosion

Keep away from sources of ignition. No smoking. Take precautionary measures against static discharges.

### Storage

#### Requirements for storage rooms and vessels

Keep container tightly closed in a cool, well-ventilated place.



# Safety Data Sheet

according to Regulation (EU) No. 1907/2006

## DPF Super Clean

Print date: 16.11.2010

Product code: 895

Page 3 of 5

### Further information on storage conditions

Packaging materials: metal.

## 8. Exposure controls/personal protection

### Exposure limit values

#### Exposure controls

##### Protective and hygiene measures

When using do not eat, drink or smoke.

"Wash hands when done working with material; at breaks, lunch, shift changes, etc."

##### Respiratory protection

In case of accumulation of fumes/aerosols, provide adequate ventilation.

In case of insufficient ventilation, wear suitable respiratory equipment.

##### Hand protection

Tested protective gloves are to be worn: Butyl rubber. (EN 374)

##### Eye protection

Wear tightly sealed safety glasses against possible splashes into the eyes. (EN 166)

##### Skin protection

Wear suitable solvent-proof protective clothing according to EN 465.

## 9. Physical and chemical properties

### General information

Physical state:	liquid
Colour:	transparent
Odour:	aromatic

### Important health, safety and environmental information

Test method

#### Changes in the physical state

Flash point:	62 °C
Ignition temperature:	> 200 °C
Vapour pressure: (at 20 °C)	20 hPa
Density (at 20 °C):	0.78-0.82 g/cm <sup>3</sup>
Water solubility: (at 20 °C)	insoluble
Solubility in other solvents:	Organic solvents

## 10. Stability and reactivity

### Conditions to avoid

Only use material in places where open light, fire and other sources of ignition can be kept away.

### Materials to avoid

Oxidizing agents. acid, concentrated. Alkalis (alkalis), concentrated.

### Hazardous decomposition products

Carbon monoxide (CO).  
Carbon dioxide (CO<sub>2</sub>).

## 11. Toxicological information



# Safety Data Sheet

according to Regulation (EU) No. 1907/2006

## DPF Super Clean

Print date: 16.11.2010

Product code: 895

Page 4 of 5

### Acute toxicity

LD50(oral, rat) > 2000 mg/Kg.

### Corrosive and irritant effects

After skin contact: Frequently or prolonged contact with skin may cause dermal irritation.

Irritation of eyes: Irritant effect possible.

After ingestion:

Harmful: may cause lung damage if swallowed.

## 12. Ecological information

### Ecotoxicity

Distillates(petroleum, gasoline)

Fish, LC50, 1-10 mg/l

Algae, IC50, 1-10 mg/l

### Persistence and degradability

Product is biodegradable.

### Bioaccumulative potential

Swims on the water.

Low potential of bio-accumulation.

## 13. Disposal considerations

### Advice on disposal

Do not dispose with household waste.

Do not empty into drains or the aquatic environment.

Have to add a Special treatment in compliance with official regulations in contact with approved waste disposal companies and with authorities in charge.

Arrange about the exact waste code with the local waste disposal expert.

### Contaminated packaging

Contaminated packing must be completely emptied and can be re-used following appropriate cleaning.

Do not pierce, cut up or weld unclean container. (Explosion hazard.)

## 14. Transport information

### Land transport (ADR/RID)

#### Other applicable information (land transport)

Not a hazardous material with respect to these transportation regulations.

### Inland waterways transport

#### Other applicable information (inland waterways transport)

Not a hazardous material with respect to these transportation regulations.

### Marine transport

#### Other applicable information (marine transport)

Not a hazardous material with respect to these transportation regulations.

### Air transport

#### Other applicable information (air transport)

Not a hazardous material with respect to these transportation regulations.

## 15. Regulatory information

### Labelling

Danger symbols:

Xn - Harmful

**DPF Super Clean**

Print date: 16.11.2010

Product code: 895

Page 5 of 5



Xn - Harmful

**Hazardous components which must be listed on the label**

Low boiling point hydrogen treated naphtha, Naphtha (petroleum), hydrodesulfurized heavy

**R phrases**

- 65 Harmful: may cause lung damage if swallowed.  
66 Repeated exposure may cause skin dryness or cracking.

**S phrases**

- 02 Keep out of the reach of children.  
46 If swallowed, seek medical advice immediately and show this container or label.

**EU regulatory information****Additional information**

Contains:  
> 30 % hydrocarbons, aliphatic.

**National regulatory information**

Water contaminating class (D): 2 - water contaminating

**16. Other information****Full text of R-phrases referred to under sections 2 and 3**

- 51 Toxic to aquatic organisms.  
53 May cause long-term adverse effects in the aquatic environment.  
65 Harmful: may cause lung damage if swallowed.  
66 Repeated exposure may cause skin dryness or cracking.  
67 Vapours may cause drowsiness and dizziness.

**Further Information**

The information is based on present level of our knowledge. It does not, however, give assurances of product properties and establishes no contract legal rights.  
The receiver of our product is singularly responsible for adhering to existing laws and regulations.

*(The data for the hazardous ingredients were taken respectively from the last version of the sub-contractor's safety data sheet.)*